

# Color I: trichromatic theory

CS 178, Spring 2010

---



Marc Levoy  
Computer Science Department  
Stanford University

# Outline

---

- ◆ spectral power distributions
- ◆ color response in animals and humans
- ◆ 3D colorspace of the human visual system
  - and color filter arrays in cameras
- ◆ reproducing colors using three primaries
- ◆ additive versus subtractive color mixing


---

- ◆ cylindrical color systems used by artists (and Photoshop)
- ◆ chromaticity diagrams
  - color temperature and white balancing
  - standardized color spaces and gamut mapping

# Newton's Experimentum Crucis




Isaac Newton  
(1643-1727)




(Robin)

- ◆ sunlight can be divided into colors using a prism
- ◆ these colors cannot be further divided using a 2nd prism
- ◆ experiment performed 1665, drawing made in 1672

# Newton's Experimentum Crucis




(Robin)



- ♦ alternatively, the divided colors can be recombined using a lens and 2nd prism into a new beam that has exactly the same properties as the original

# The visible light spectrum



(wikipedia)

- ◆ wavelengths between 400nm and 700 nm ( $0.4\mu - 0.7\mu$ )
- ◆ exactly the colors in a rainbow

# The visible light spectrum


---



(Dan Bush)

- ◆ wavelengths between 400nm and 700 nm ( $0.4\mu - 0.7\mu$ )
- ◆ exactly the colors in a rainbow


# Spectral power distribution (SPD)




(LampTech)

- ◆ units of power are watts (joules per second)
- ◆ shown here are spectra of common illumination sources
- ◆ plots above are relative amounts (%) of each wavelength

# Interaction of light with matter




light is reflected  
by an object




illumination

×



reflectance

=





stimulus that  
enters your eye

- ◆ spectrum of illumination is multiplied wavelength-by-wavelength by reflectance spectrum of object
  - cause is absorption by the material
  - so the spectrum you see depends on the illumination!
- ◆ transmittance operates the same way



# Examples of reflectance spectra



by Jeff Beall, Adam Doppelt and John F. Hughes  
(c) 1995 Brown University and the NSF Graphics and Visualization Center  
([http://www.cs.brown.edu/exploratories/freeSoftware/repository/edu/brown/cs/exploratories/applets/spectrum/metamers\\_java\\_browser.html](http://www.cs.brown.edu/exploratories/freeSoftware/repository/edu/brown/cs/exploratories/applets/spectrum/metamers_java_browser.html))

- ◆ two different spectra may appear alike to us
  - white petal and white flower (above left)
  - these are called *metamers*
- ◆ Newton observed this, but could not explain it


# Outline

---

- ◆ spectral power distributions
- 👉 ◆ color response in animals and humans
- ◆ 3D colorspace of the human visual system
  - and color filter arrays in cameras
- ◆ reproducing colors using three primaries
- ◆ additive versus subtractive color mixing
- ◆ cylindrical color systems used by artists (and Photoshop)
- ◆ chromaticity diagrams
  - color temperature and white balancing
  - standardized color spaces and gamut mapping

# Monochromats (contents of whiteboard)


---




1

1. organisms having only one kind of retinal receptor cannot distinguish changes in intensity from changes in wavelength, hence they have no *color discrimination*
  - for example a unit amount of  $\lambda_1$  versus  $\lambda_2$  above
  - or a unit amount of  $\lambda_1$  versus half as much of  $\lambda_3$   
(assuming the sensitivity to  $\lambda_3$  is twice the response to  $\lambda_1$ )


# Dichromats (contents of whiteboard)



2



3




4

2. this organism can discriminate a response in the range wavelengths covered by A versus B, but cannot discriminate with those ranges
3. this organism has color discrimination over the range of wavelengths shown
  - for each wavelength within this range, the ratio of responses of receptors A and B is unique; hence the organism can identify which wavelength (e.g.  $\lambda_1$  or  $\lambda_2$ ) it's looking at
4. this organism has a larger range of color vision

# Trichromats (contents of whiteboard)

---




5

5. humans can discriminate wavelengths from 400nm to 700nm
  - we can also discriminate mixtures of wavelengths that dichromats cannot; this will become clearer later
- ♦ at the retinal level, our response to light is linear
  - a. if the response to a unit stimulus at  $\lambda_1$  is  $(\rho_1, \gamma_1, \beta_1)$ , and to a unit stimulus at  $\lambda_2$  is  $(\rho_2, \gamma_2, \beta_2)$ , then the response to a superposition of stimuli  $\lambda_1$  and  $\lambda_2$  is  $(\rho_1 + \rho_2, \gamma_1 + \gamma_2, \beta_1 + \beta_2)$
  - b. the response to  $n$  units of a stimulus at  $\lambda_1$  is  $(n \rho_1, n \gamma_1, n \beta_1)$
  - c. a system that obeys *superposition* (a) and *scaling* (b) is *linear*

# Human response to an arbitrary stimulus

(Berns)

spectrum of stimulus arriving  
in one small area on retina  
 $\times$   
spectral sensitivity of each  
type of cone (L,M,S)  
 $=$   
multiply wavelength-by-  
wavelength to get response spectra  
 $\int$   
integrate over wavelengths to get  
total response for that type of cone  $\longrightarrow$



♦ output is three numbers ( $\rho$ ,  $\gamma$ ,  $\beta$ ) per area on retina

# Human response to an arbitrary stimulus

(Berns)


- ◆ stated another way, given a stimulus spectrum  $L_e(\lambda)$ , the human response to it ( $\rho, \gamma, \beta$ ) are the integrals over all visible wavelengths of our responses

$$L_e(\lambda) \rho(\lambda),$$

$$L_e(\lambda) \gamma(\lambda),$$

$$L_e(\lambda) \beta(\lambda)$$

to each constituent wavelength  $\lambda$ , i.e.




$$(\rho, \gamma, \beta) = \left( \int_{400 \text{ nm}}^{700 \text{ nm}} L_e(\lambda) \rho(\lambda) d\lambda, \int_{400 \text{ nm}}^{700 \text{ nm}} L_e(\lambda) \gamma(\lambda) d\lambda, \int_{400 \text{ nm}}^{700 \text{ nm}} L_e(\lambda) \beta(\lambda) d\lambda \right)$$

## Questions?

# Outline


---

- ◆ spectral power distributions
- ◆ color response in animals and humans
-  ◆ 3D colorspace of the human visual system
  - and color filter arrays in cameras
- ◆ reproducing colors using three primaries
- ◆ additive versus subtractive color mixing
- ◆ cylindrical color systems used by artists (and Photoshop)
- ◆ chromaticity diagrams
  - color temperature and white balancing
  - standardized color spaces and gamut mapping



# Human 3D colorspace


- ◆ the three types of cones in our retina (Long, Medium, Short wavelength) define the axes of a three-dimensional space
- ◆ our response to any stimulus spectrum can be summarized by three numbers ( $\rho$ ,  $\gamma$ ,  $\beta$ ) and plotted as a point in this space
- ◆ our responses to all visible single-wavelength spectra (a.k.a. pure wavelengths  $\lambda$ , i.e. positions along the rainbow), if connected together, form a curve in this space, called the *locus of spectral colors*; the sequence of ( $\rho$ ,  $\gamma$ ,  $\beta$ ) numbers form the *tristimulus sensitivity functions*  $\rho(\lambda)$ ,  $\gamma(\lambda)$ , and  $\beta(\lambda)$



sensitivity functions

**(FLASH DEMO)**


<http://graphics.stanford.edu/courses/cs178/applets/locus.html>




spectral locus

# Properties of human 3D colorspace (1 of 2) (contents of whiteboard)


---



1



2




3

1. our response to any mixture ( $\Sigma = 1$ ) of two pure wavelengths falls on a line connecting the responses to each wavelength
2. our response to any mixture ( $\Sigma = 1$ ) of three pure wavelengths falls on a triangle connecting the responses to each wavelength; our response to any mixture ( $\Sigma \leq 1$ ) of three pure wavelengths falls in a tetrahedron defined by this triangle and the origin
3. our responses to all possible mixtures ( $\Sigma \leq 1$ ) of all visible wavelengths forms an irregular volume called the *gamut of perceivable colors*, equal to the convex hull of the spectral locus

# Properties of human 3D colorspace (2 of 2) (contents of whiteboard)

---




4

4. to a deuteranope - a color-blind person who is missing their medium-wavelength receptor, i.e. their gamma receptor - this diagram is squashed into the rectangle shown above on the rho-beta plane
- as a result, spectra whose  $(\rho, \gamma, \beta)$  responses lie along the dotted lines cannot be distinguished; they will appear as the same color, i.e. as metamers
  - by a similar argument, many spectra distinguishable to pentachromats (e.g. Mallard ducks) are indistinguishable to trichromats (humans)


# Color blindness

---


37?



49?



56?





(wikipedia)

- ◆ protanopia (1% of males)
- ◆ deuteranopia (1% of males)
- ◆ tritanopia (< 1% of both genders)

- ◆ protanomaly (1% of males)
- ◆ deuteranomaly (6% of males)
- ◆ tritanomaly (< 1% of both genders)

# The advantage of being color blind


---



- ◆ the maze (at left) is recreated (at right) using subtle intensity differences, but overridden by stronger red-green color differences
- ◆ only a deuteranope can see the maze at right

# Canon 30D color filters


- ♦ you want the camera's R, G, and B color filters to have the same spectral sensitivities as our L, M, and S cones
  - so that there are no objects in the real world that are metamers to one system and not the other
  - otherwise, colored patterns the camera sees might be invisible to a person (bad), or patterns you see might be invisible to a camera (also bad)



filter transmissivity

**(FLASH DEMO)**

<http://graphics.stanford.edu/courses/cs178/applets/locus.html>




spectral locus

**Questions?**


# Outline

---

- ◆ spectral power distributions
- ◆ color response in animals and humans
- ◆ 3D colorspace of the human visual system
  - and color filter arrays in cameras
-  ◆ reproducing colors using three primaries
- ◆ additive versus subtractive color mixing
- ◆ cylindrical color systems used by artists (and Photoshop)
- ◆ chromaticity diagrams
  - color temperature and white balancing
  - standardized color spaces and gamut mapping

# Maxwell's color matching experiment

- ◆ Maxwell actually used a slightly different procedure
  - see <http://www.handprint.com/HP/WCL/color6.html> for details
  - the procedure below is used in modern versions of the experiment



**(FLASH DEMO)**

<http://graphics.stanford.edu/courses/cs178/applets/colormatching.html>




# Maxwell's color matching experiment


(summary of live demo)



1



2



3

1. given a stimulus wavelength, the amount of each primary required to match it is given by three numbers  $(r, g, b)$
2. some stimuli cannot be matched unless first desaturated by adding a primary to it before matching; the amount added is denoted by negative values of  $r, g, \text{ or } b$
3. the sequence of  $(\bar{r}, \bar{g}, \bar{b})$  values, some negative, required to match the locus of spectral colors across all  $\lambda$ , form the *trichromatic matching functions*  $r(\lambda)$ ,  $g(\lambda)$ , and  $b(\lambda)$  for a particular set of 3 primaries

# Young-Helmholtz trichromatic theory



Thomas Young  
(1773-1829)



James Clerk Maxwell  
(c. 1860)



Hermann von Helmholtz  
(1821-1894)


- ◆ spectra can be visually matched using mixtures of *primary colors*; such matches are called *metamers*
- ◆ due to the linearity of human retinal response, given a stimulus spectrum  $L_e(\lambda)$ , the amounts of each primary R, G, B required to match it, for any particular choice of 3 primaries, are the integrals over all visible wavelengths of the amounts  $r(\lambda)$ ,  $g(\lambda)$ , and  $b(\lambda)$  required to match each constituent wavelength  $\lambda$ , *i.e.*

$$(R, G, B) = \left( \int_{400\text{nm}}^{700\text{nm}} L_e(\lambda) \bar{r}(\lambda) d\lambda, \int_{400\text{nm}}^{700\text{nm}} L_e(\lambda) \bar{g}(\lambda) d\lambda, \int_{400\text{nm}}^{700\text{nm}} L_e(\lambda) \bar{b}(\lambda) d\lambda \right)$$

# 3D interpretation of color matching

I forgot to make the second point below about non-coplanar primaries in class. If you superimpose two of the three primaries (i.e. make them the same wavelength), then the gamut of reproducible colors collapses from a 3D volume to a 2D plane. More interestingly, if you convert one of the primaries to a custom SPD, you can create a vector in rho-gamma-beta space that lies in the plane of the other two primaries without coinciding with either of them. This will take some fiddling, but it too creates a 2D gamut. Try it!


- ◆ our response to varying amounts of a primary forms a vector in  $(\rho, \gamma, \beta)$  space, rooted at the origin
- ◆ to provide a normal range of color vision, three primaries are required, and their vectors must not lie on a plane
- ◆ our responses to all possible mixtures ( $\Sigma \leq 1$ ) of three primaries form a tetrahedron called the *gamut of reproducible colors* for these primaries



RGB matching functions

**(FLASH DEMO)**

<http://graphics.stanford.edu/courses/cs178/applets/locus.html>





gamut of reproducible colors



# 3D interpretation of color matching

- ◆ the spectrum of each of the three primaries can be a pure wavelength (1) or a mixture of wavelengths (2)
- ◆ impure primaries have a smaller gamut in  $(\rho, \gamma, \beta)$  space
- ◆ additional primaries can be added to increase the gamut

1



2




**(FLASH DEMO)**

<http://graphics.stanford.edu/courses/cs178/applets/locus.html>

**Questions?**

# Outline

---


- ◆ spectral power distributions
- ◆ color response in animals and humans
- ◆ 3D colorspace of the human visual system
  - and color filter arrays in cameras
- ◆ reproducing colors using three primaries
-  ◆ additive versus subtractive color mixing
- ◆ cylindrical color systems used by artists (and Photoshop)
- ◆ chromaticity diagrams
  - color temperature and white balancing
  - standardized color spaces and gamut mapping

# Additive versus subtractive mixing

---

- ◆ demo using color guns and filters

# Additive versus subtractive mixing




**(FLASH DEMO)**

<http://graphics.stanford.edu/courses/cs178/applets/ColorMixing-narrowCMY.swf>

- ◆ superimposed colored lights or small adjacent dots combine *additively* - by adding their spectra wavelength-by-wavelength
- ◆ layered dyes or sequenced color filters combine *subtractively* - by multiplying their transmittance spectra wavelength-by-wavelength

# Additive versus subtractive mixing




**(FLASH DEMO)**

<http://graphics.stanford.edu/courses/cs178/applets/colormixing.html>

- ◆ superimposed colored lights or small adjacent dots combine *additively* - by adding their spectra wavelength-by-wavelength
- ◆ layered dyes or sequenced color filters combine *subtractively* - by multiplying their transmittance spectra wavelength-by-wavelength





# Additive versus subtractive mixing




- ◆ narrow spectra, widely spaced in wavelength, are best for primaries that are to be combined additively
- ◆ wide spectra that overlap are best for primaries that are to be combined subtractively, but product of all three must be black
- ◆ the particular spectra chosen is flexible; additive primaries need not be R,G,B, nor subtractive primaries C,M,Y
- ◆ additional primaries may be added to either system, resulting in a larger gamut of reproducible colors; adding black to a subtractive system (called CMYK) ensures a deep black

# Color printing


- ◆ patches of the 3 subtractive primaries (C,M,Y) overlap partially on the page, making patches of 8 meta-primaries (Wh,C,M,Y,CM,CY,MY,CMY), which combine additively in the eye when viewed from a distance
  - these effects are modeled by the *Neugebauer equations*
- ◆ two spectra that match (i.e. are metamers) under one illuminant may not match under another
  - clothes that match in the store may not match outdoors




light is reflected  
by an object



illumination



reflectance



stimulus that  
enters your eye